INVITATION TO BID HEAVY EQUIPMENT

NOTICE OF BID OPENING

NOTICE IS HEREBY GIVEN that the Association of County Commissions of Alabama, which administers the Alabama County Joint Bid Program on behalf of Alabama's county governing bodies, shall receive and open bids for the purchase of zero (0) or more items of heavy road equipment at its office located at 2 North Jackson Street, Montgomery, Alabama, at **10:00 a.m. on Friday, November 1, 2024**. Bid specifications are available at http://www.alabamacounties.org/heavy-equipment/ for each of the following items:

Track Mount Excavators
Compact Track Mount Excavators
Mini Track Excavator
Wheeled Excavator
Highway Speed Truck Excavators
Motor Grader
Wheel Loader
Heavy Duty Dump Chassis
Lowboy Tractor

Lowboy Trailer
Skid Steer and Attachments
Ride-on Industrial Boom Mowers
Rubber Tire Roller
One-man Pothole Patchers
Trailer Mount Mastic Patcher/Crack Sealer
Chip Spreader
Asphalt Distributor

Time is of the essence in submitting bids and only bids received in the Association office by 10:00 a.m. Central Time on Friday, November 1, 2024 will be opened and considered. Bidders and any other interested individuals are invited to attend the bid opening.

NOTICE OF BID OPENING PROCEDURES

All bids for **Heavy Equipment** will be opened and the name(s) of the bidders read aloud on the morning of the bid opening on **Friday**, **November 1**, **2024 at 10:00 a.m.** at 2 North Jackson Street, Montgomery, AL. The specifics of each bid submitted will be compiled by the Association staff thereafter and will be available, **upon written or emailed request**, one week after the bid opening. Requests should be emailed to jointbid@alabamacounties.org.

THE INVITATION PACKAGE

The invitation package for each item to be bid includes: this invitation to bid, the written bid specifications for the particular item of heavy road equipment, and a Bid Submittal Form to be used in submitting a bid for that particular item. Bidders should verify that they have received all pages of the invitation package. If there are any omissions, the bidder should contact **Kenya Howard** in the Association office by mail, fax, or e-mail (jointbid@alabamacounties.org) to request missing pages. It is the responsibility of the bidder to make this request in sufficient time to prepare and submit the bid in time for the bid opening. Bidders should carefully read and comply with all parts of the invitation package, including all attachments and/or any addendum.

PREPARING AND SUBMITTING BIDS

All bids must be typed or hand written in ink on the attached Bid Submittal Form. The completed Bid Submittal Form shall be placed in front of and separated from all other documents included in the bid packet, such that it will be the first document viewed upon opening the bid packet.

Bids submitted in pencil and bids not submitted on the Bid Submittal Form *will not* be considered. All bids shall include a current catalog or model specification document for the equipment model number being offered for consideration. Bids submitted without such documentation *will not* be considered. Only information contained on the attached Bid Submittal Form and in the model specification document will be considered in evaluating bids.

Each separate requirement in the bid specification includes a block for indicating whether or not the item bid meets the specification. The bidder shall indicate compliance with each requirement by checking "Yes" or "No" in the block to the right of each bid specification. In addition, the bidder shall indicate the page number in the supplied manufacturer's equipment literature on which compliance with the specification can be verified. Failure to complete this portion of the bid form may result in the subject bid not being considered.

Each bid for one of the heavy equipment items included in the bid package must be submitted on the Bid Submittal Form for that item and forwarded in a separate envelope with the bid item and item number clearly identified on the outside of the envelope. Envelopes containing a "no bid" shall also include the words "NO BID" on the outside of the envelope. Facsimiles and e-mails will not be accepted. Bids submitted by "Express/Overnight" services must be in a separate inner envelope or package sealed and identified as stated above. All bids must be received in the Association office prior to the bid opening. Bids received after the deadline will be returned unopened.

The County Joint Bid Program reserves the right to require a performance bond from successful bidders as permitted under Alabama law. However, **no bid bond is required for this bid offering**.

All bids should be mailed or hand-delivered to:

ATTN: Patrick McDougald
Association of County Commissions of Alabama or ACCA
North Jackson Street, FL 7, Montgomery, Alabama 36104 (Physical Address)
P.O. Box 5040, Montgomery, Alabama 36103 (Mailing Address)

BID SPECIFICATIONS

Please note that each piece of heavy equipment available for bid may include several different sizes and categories of machines. You should read each set of specifications very carefully as the differences vary depending upon the piece and size of equipment.

The award will be based on the total cost of the **Standard Machine** bid by the lowest responsible bidder. Each Bid shall include a **Manufacturer's Suggested Retail Price Sheet (MSRP)** for each machine bid. The percent difference between the Manufacturer's Suggested Retail Price (MSRP) for the standard machine as specified by these bid specifications and the actual price bid by the vendor will be calculated and that percentage discount shall be applied to any options an individual county may choose to add to the machine.

Once the bids have been awarded, any county participant purchasing under this program may, at its discretion, add any of the vendor's available options at the same discount off the Manufacturer's Suggested Retail Price Sheet as was applied to the Standard Machine Price Bid.

Any use of specific names and/or model numbers in the attached specifications is not intended to restrict the bidder or any seller or manufacturer, but is included solely for the purpose of indicating the type, size, and quality of materials, product services, or equipment considered best adapted to the use of the counties participating in the joint bid program.

ACQUISITION AND FINANCING OPTIONS

The awarded Vendor will provide the equipment, including any options required by the purchaser, at the awarded price as contracted through the Joint Bid Program. The purchaser may secure its own financing to acquire the equipment or execute any financial options available under Alabama law with the awarded Vendor in order to acquire the equipment.

BIDDER QUALIFICATIONS

All bidders and all program participants must be in compliance with any applicable federal, state, county and municipal laws, regulations, resolutions and ordinances, including but not limited to, licensing, permitting, and taxation requirements. All bidders should be prepared to submit evidence or documentation as proof that they are properly licensed and permitted under any applicable laws upon request. Such evidence or documentation may be submitted with the bid. Additionally, all bidders shall provide proof that they are in compliance with the E-Verify requirements of Alabama's Immigration Law (Ala. Code § 31-13-1 et seq., as amended by Act No. 2012-491).

BID AWARD

The Houston County Commission will serve as the awarding authority for all bids and will award all contracts at a regular meeting of the Houston County Commission. Any and all bids submitted in compliance with this invitation to bid shall be considered, and award will be made to the lowest responsible bidder meeting bid specifications as determined by the awarding authority in compliance with Alabama law. All bids will be reviewed and evaluated by a committee created for that purpose, which committee will make comments and recommendations to the awarding authority regarding the award. All factors contained in each invitation package will be evaluated in determining the successful bidder, and any omissions of the stated requirements may be cause for rejection of the bid submitted. The awarding authority reserves the right to reject any and all bids, to waive any informality in bids, and to accept in whole or in part such bid or bids solely at its discretion.

The contract period will be one year with an option to renew for a second and third year under identical price, terms, and conditions upon the mutual consent of the vendor and the awarding authority. Any renewal contract shall be approved in writing by the vendor and the awarding authority no later than 90 days prior to the expiration of the existing contract.

CONTACT REGARDING BIDS AND INVITATION

Contact initiated by a potential bidder with any county official, county employee, or member of the Association staff shall only be as specifically set out in this Invitation to Bid. Any questions related to the bid or the County Joint Bid Program shall be directed to Association staff in writing under the procedures set out in this Invitation to Bid. Additionally, a bidder may contact the Association in writing to request an appointment to review bid specifications following the bid opening. However, there shall be no communication with any county official or county employee regarding this bid between the date of this invitation and the date of bid award. Any contact other than as set out here shall be deemed as an attempt to unduly influence the bid award, and shall be grounds for rejection of the bid submitted by the bidder initiating such other contact.

Any questions or problems related to downloading or obtaining copies of this Invitation to Bid should be directed to **Kenya Howard** at jointbid@alabamacounties.org or **334-263-7594**.

Any other questions or requests for additional information regarding this invitation or the bid specifications shall be submitted **in writing** no later than five (5) days prior to bid opening to:

ATTN: Patrick McDougald Association of County Commissions of Alabama P.O. Box 5040 Montgomery, Alabama 36104

OR

Patrick McDougald
Email: pattymackdaddy@gmail.com

BID SUBMITTAL FORM Alabama County Joint Bid Program BID ITEM – SKID STEER LOADER ATTACHMENTS

| Company Name: | | |
|---|---|----------|
| Address: | | |
| Bid Submitted by:(| Name of company representative) | |
| Title: | | |
| Phone: | Fax: | |
| By submitting this bid, we agree: | | Initials |
| The equipment model number identified | below meets the bid specs for this bid item | |
| That the bid price will be honored for all December 31, 2025 . | counties for the period from January 1, 2025 to | |
| The equipment will be delivered at the b joint bid program | id price to all counties participating in the | |
| The company representative listed above this bid item under the joint bid program | re will be the contact person for purchasing | |
| The bid is accompanied by a current cat model number identified below | alog or model specification document for the | |
| The bid is accompanied by a copy of the in the bid specifications | e manufacturer's standard warranty as required | |
| The bid includes the E-Verify documenta | ation required by Alabama law | |
| If awarded the bid, a performance bond | will be provided upon request | |
| The bid documents include the Manufa for the Standard Machine | cturer's Suggested Retail Price Sheet (MSRP) | |

Attachment 1: SMOOTH DRUM VIBRATORY ROLLER

| Total Bid Price for Standard Machine: \$ (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * |
|--|
| Freight Preparation and Delivery: \$(Included in Standard Machine Bid Price) |
| Manufacturer's Suggested Retail Price for Standard Machine: \$ |
| Equipment Model #: |
| Description: |
| Signature of company representative submitting bid: |
| Title: |
| Attachment 2: PAD FOOT VIBRATORY ROLLER Total Bid Price for Standard Machine: \$ (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * |
| Freight Preparation and Delivery: \$(Included in Standard Machine Bid Price) |
| Manufacturer's Suggested Retail Price for Standard Machine: \$ |
| Equipment Model #: |
| Description: |
| Signature of company representative submitting bid: |
| Title |

Attachment 3: GRADER BLADE Total Bid Price for Standard Machine: \$ _____ (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$___ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$_____ Equipment Model #: _____ Description: Signature of company representative submitting bid: Attachment 4: ANGLE BROOM Total Bid Price for Standard Machine: \$_____ (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$_____ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$_____ Equipment Model #: Description: Signature of company representative submitting bid: _____ Title:

Attachment 5: COLD PLANER Total Bid Price for Standard Machine: \$_____ (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$___ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$_____ Equipment Model #: Description: Signature of company representative submitting bid: _____ Attachment 6: ROAD WIDENER-SINGLE DISCHARGE Total Bid Price for Standard Machine: \$___ (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$______ Equipment Model #: _____ Description: Signature of company representative submitting bid: Title:

Attachment 7: Road Widner- Dual Discharge Total Bid Price for Standard Machine: \$ ______ (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$_____ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$_____ Equipment Model #: Signature of company representative submitting bid: Title: Attachment 8: Mulcher Total Bid Price for Standard Machine: \$ _____ (Total Bid Price for Standard Machine Includes Freight Preparation, Delivery and Standard Warranty Costs) * Freight Preparation and Delivery: \$____ (Included in Standard Machine Bid Price) Manufacturer's Suggested Retail Price for Standard Machine: \$ _____ Equipment Model #: _____ Signature of company representative submitting bid: _____

Title: _____

^{*} NOTE: Award will be made based on the total cost of the **Standard Machine**. The total cost of the standard machine is to include the freight preparation, delivery and standard warranty cost. Freight preparation, delivery will be excluded from the total bid price of the standard machine in determining the percentage discount for any available options.

SPECIFICATIONS FOR SKID STEER LOADER ATTACHMENTS

GENERAL

These specifications shall be construed as the minimum acceptable standards for attachments compatible with the skid steer loader specifications. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide complete working unit(s) shall be furnished. Additionally, the attachments offered for bid shall include all standard manufacturers' equipment. The attachments bid must be a new current production model and shall meet all EPA and other applicable standards at the time of manufacture.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

Bidder is not required to bid on every attachment listed in this bid specification. Each attachment will be awarded individually to the lowest responsible bidder for that item.

BID SUBMITTAL FORM

Each bidder must submit his or her bid on the Bid Submittal Form included in the invitation to bid package. All written warranties to be submitted shall be attached to the Bid Submittal Form.

BID PRICE

The price bid for each attachment bid shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

MANUALS

Each attachment shall be provided with one (1) copy of the owner/operator's manual for that attachment.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty along with a complete explanation of the warranty with their bid. All attachments must have (1) year warranty with no hour limit.

| Yes | No |
|---------|------|
| Page#_ | |
| or | |
| Attachn | nent |

MINIMUM SPECIFICATIONS FOR SKID STEER LOADER ATTACHMENTS

All skid steer attachments listed below must be of the universal quick attach type and must be fully compatible with the skid steer loader to be awarded. As such, the attachment must be compatible with the bid specifications for the skid steer loader.

| ATTACHMENT #1 SMOO | TH DRUM VIBRATORY RC | <u>)LLER</u> | | |
|-----------------------------|----------------------|--------------|---------|------|
| Weight | 2000 lbs. | | Yes | No |
| | | ŀ | Page #_ | |
| | | | | |
| Hydraulic flow requirements | 10 – 20 gpm | | | . No |
| | | | Page #_ | |
| NAT and the second of the | 70" | , | \/ | NI- |
| Working width | 73" | | | No |
| | | ' | Page #_ | |
| Centrifugal Force | 8,500 lbf | , | Yes | No |
| Centinugar i orce | 0,000 101 | | | |
| | | · | ago "_ | |
| Flow control valve | | • | Yes | No |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | _ | | |
| ATTACHMENT #2 PAD F | | | ., | N.I. |
| Weight | 2100 lbs. | | | No |
| | | ' | Page #_ | |
| Hydraulic flow requirements | 10 _ 20 apm | , | Vac | No |
| Trydradiic now requirements | 10 – 20 gpm | | | |
| | | ' | age "_ | |
| Working width | 73" | • | Yes | No |
| Training than | . 0 | I | Page # | |
| | | | - 3 | |
| Centrifugal Force | 8,500 lbf | ` | Yes | No |
| - | | ļ | Page #_ | |
| | | | | |
| Flow control valve | | | | No |
| | | I | Page #_ | |

| ATTACHMENT #3 | GRADER BLADE | |
|--|--------------------------------------|------------------|
| Motorgrader style 8' mold | board with replaceable cutting edges | Yes No Page # |
| 2 front guide wheels with center oscillating pivot point | | Yes No Page # |
| In-cab hydraulic control be | ox of blade height, angle, and tilt | Yes No Page # |
| Proportional current valve for gradual adjustment of blade | | |
| 2 removable blade end pl | Yes No Page # | |
| Compatible with laser con | ntrol system | Yes No Page # |
| Weight | 1200 lbs. | Yes No Page # |
| Length | 101" | Yes No Page # |
| ATTACHMENT #4 Hydraulic motor with hydr | Yes No Page # | |
| Weight | 900 lbs | Yes No Page # |
| Straight Path | 84" | Yes No Page # |
| Angled Path | 75″ | Yes No Page # |
| Angle | 30 degrees | Yes No Page # |
| Brush Diameter | 32" | Yes No Page # |
| Brush Material | 50 poly/50 wire | Yes No Page # |

| ATTACHMENT #5 COLD PLANER In cab electric control box to control unit | | Yes Page #_ | |
|---|---------------|----------------|--|
| Depth gauge | | Yes Page #_ | |
| Access door for access to drum | | Yes Page #_ | |
| Working Width | 40" | Yes Page #_ | |
| Weight | 3100 lbs | Yes Page #_ | |
| Hydraulic Requirements | 40 gpm | Yes Page #_ | |
| Max. Milling Depth | 5" | Yes Page #_ | |
| Side shift | -3" to 22" | Yes Page #_ | |
| Tilt | +/- 8 degrees | Yes Page #_ | |

| ATTACHMENT #6: ROAD W | <u>/IDENER-SINGLE DISCHARGE</u> | |
|--------------------------------|---------------------------------|------------------|
| Hydraulic-driven conveyor | | Yes No Page # |
| 10" Head and Tail Pulleys | | Yes No Page # |
| Right or left side discharge | | Yes No Page # |
| Hydraulic width/height adjustr | nent | Yes No Page # |
| Adjustable shouldering angle | | Yes No Page # |
| Width | 10'2" | Yes No Page # |
| Length | 7'6" | Yes No Page # |
| Height | 4'3" | Yes No Page # |
| Working Width | 1 – 3.5′ | Yes No Page # |
| Weight (Empty) | 2600 lbs. | Yes No Page # |

ATTACHMENT #7: ROAD WIDNER DUAL DISCHARGE

| Hydraulic-driven conveyor | | | Yes No Page # | | |
|-----------------------------------|------------------------------------|------------------|------------------|--|--|
| 10" Head and Tail Pulleys | | | Yes No Page # | | |
| Right and left side discharg | Right and left side discharge | | | | |
| Hydraulic width/height adjustment | | | Yes No Page # | | |
| Adjustable shouldering angle | | | Yes No Page # | | |
| Width | 10′2″ | | Yes No Page # | | |
| Length | 7'6" | | Yes No Page # | | |
| Height | 4'3" | | Yes No Page # | | |
| Working Width | 1 – 3.5′ | | Yes No Page # | | |
| Weight (Empty) | 2600 lbs. | | Yes No Page # | | |
| ATTACHMENT #8: MULCH | ATTACHMENT #8: MULCHING ATTACHMENT | | | | |
| MINIMUM SPECIFICATIO | NS FOR MULCHING AT | <u> FACHMENT</u> | | | |
| Weight | | 2,250 lbs. | Yes No Page # | | |
| Horsepower rating | | 125 | Yes No Page # | | |
| RPM speed of spindle shaf | t | 1,900 | Yes No Page # | | |
| Cutting width | | 58" | Yes No Page # | | |

| Overall width | 72" | Yes No Page # |
|---|------------------------|------------------|
| Fixed replaceable carbide cutting hammers (qty) | 28 | Yes No Page # |
| Rated hydraulic flow | 30 – 40 gal | Yes No Page # |
| Hydraulic deflector door | | Yes No Page # |
| 4" diameter hydraulic pressure sight gauge which reac | ds UP TO 6000 psi. | Yes No Page # |
| Rotor diameter including hammers | 17.5″ | Yes No Page # |
| Rotor tube wall thickness 3/4" | | Yes No Page # |
| Rotor shaft diameter | 3/8" | Yes No Page # |
| Rotor shaft attached inside of tube with (4) sweat colla | nrs | Yes No Page # |
| Lower bearing boxes equipped with dual spherical beal lock system | arings with tapered | Yes No Page # |
| Upper bearing box assembly for hydraulic motor equip bearings | oped with dual tapered | Yes No Page # |
| PD drive belt and matching drive pulley system | | Yes No Page # |
| 2 – Position adjustable lower skid plates | | Yes No Page # |
| 3 – Position adjustable push bar | | Yes No Page # |